

Coded Note Number: **IC156**

Revision: **A**

Revision Date: **February 22, 1998**

Title: **LEAD WOOL ROPE REQUIRMENTS**

The lead wool shall consist of fine strands of lead. The diameter of the individual strands shall be limited to 0.005 to 0.015".

The lead shall be furnished in rope from approximately 5/8" to 3/4" diameter and the weight shall be limited to 0.3 to 0.7 pounds per linear foot.

Calkability: Grade "D" lead wool shall have a bright silver metallic appearance. The material shall be capable of being calked to a dense structure using a pneumatic hammer. It shall not flake, powder or separate between the several calked layers.