

Y2040
Revision Level A
Revision Date September 17, 1996
STEEL PLATE TOLERANCES

Y2040-19960917

Y2040 -
Y2040 -
Y2040 -
Y2040 - THE UNDER THICKNESS DIMENSIONAL TOLERANCES
Y2040 - OF STEEL PLATING IS TO BE IN ACCORDANCE WITH
Y2040 - THE AMERICAN BUREAU OF SHIPPING RULES FOR
Y2040 - BUILDING AND CLASSING STEEL VESSELS (1992)
Y2040 - AND IS NOT TO EXCEED THE TOLERANCES SHOWN
Y2040 - BELOW, REGARDLESS OF WHETHER THE MATERIAL IS
Y2040 - ORDERED TO WEIGHT OR TO THICKNESS.
Y2040 -
Y2040 - NOMINAL THICKNESS UNDER TOLERANCE
Y2040 - 5 TO 15 MM 0.4 MM
Y2040 - (0.20 TO 0.59 IN.) (0.016 IN.)
Y2040 -
Y2040 - 15 TO 45 MM 0.1 MM PLUS 0.02T
Y2040 - (0.59 TO 1.77 IN.) 0.004 IN. PLUS
Y2040 - 0.02T.)
Y2040 - OVER 45 MM 1.0 MM
Y2040 - (OVER 1.77 IN.) (0.04 IN.)
Y2040 -
Y2040 -